



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/710,931	08/13/2004	Steven Sang	13154-US-PA	4930
31561	7590	03/21/2005	EXAMINER	
JIANQ CHYUN INTELLECTUAL PROPERTY OFFICE			ECKERT II, GEORGE C	
7 FLOOR-1, NO. 100			ART UNIT	
ROOSEVELT ROAD, SECTION 2			PAPER NUMBER	
TAIPEI, 100			2815	
TAIWAN			DATE MAILED: 03/21/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/710,931

Applicant(s)

SANG, STEVEN

Examiner

George C. Eckert II

Art Unit

2815

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 August 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 August 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Objections

1. Claims 1 and 6 are objected to because of the following informalities: claim 1 cites “a second conductive type source region and a second conductive type source region” which is believed should read “...and a second conductive type *drain* region.” For purposes of examination, a drain region will be assumed because a drain region is later referred to in the claim. Claim 1 also cites “a first parasitic bipolar junction (BJT)” which should read “a first parasitic bipolar junction *transistor* (BJT).” Claim 6 cites “currents flowing into various drain region” which should read, “...various drain regions.” Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 6-11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 6 cites “the drain region, the substrate and the doped layer of various transistor;” however, it is not clear how the *single* doped layer is associated with “various transistor[s].” Claims 7-11 are rejected based on their dependency.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2815

3. Claims 1, 3-6 and 8-11 are rejected under 35 U.S.C. 102(b) as being anticipated by 5,158,899 to Yamagata. Yamagata teaches, with reference to figure 1E, an ESD device comprising:

- a first conductive type substrate 2;

- a gate structure 5 disposed over the substrate;

- a second conductive type source 9 and drain 8 separately disposed in the substrate on each side of the gate structure;

- a second conductive type doped layer 3 disposed in the substrate underneath and apart from the source and drain regions; and

- a second conductivity type extended doped region 10, disposed in the substrate adjacent to the doped layer and the source region;

wherein the drain region, the substrate and the source region together form a first parasitic BJT (because the drain and source regions are N-type and the substrate P-type and separating the source and drain region, a parasitic BJT is necessarily formed), the drain region, the substrate and the doped layer together form a second parasitic BJT 11 so that a current flowing into the drain region is channeled to a common voltage terminal (ground or Vcc) via the first and second parasitic BJTs.

Regarding claims 3, 4, 8 and 9, Yamagata teaches in figure 1E that the first conductivity is P-type and the second conductivity is N-type. Yamagata also teaches an embodiment in figure 5 in which the first conductivity is N-type and the second conductivity is P-type. Regarding claims 5 and 10, Yamagata teaches that the gate structure is that of an NMOS which by definition comprises a bottom dielectric and a top conductive layer (col. 6, line 36).

Art Unit: 2815

Regarding claims 6 and 11, Yamagata also teaches that the device comprises a plurality of parallel-connected transistors as shown in figure 1E, wherein the two transistors 5 are connected as having a common drain.

4. Claims 1-3, 5-8, 10 and 11 are rejected under 35 U.S.C. 102(b) as being anticipated by 6,424,013 to Steinhoff et al. Steinhoff et al. teach, with reference to figure 3B, an ESD device comprising:

- a first conductive type substrate 342;
- a gate structure 354 disposed over the substrate;
- a second conductive type source 350 and drain 352 separately disposed in the substrate on each side of the gate structure;
- a second conductive type doped layer 340 disposed in the substrate underneath and apart from the source and drain regions; and
- a second conductivity type extended doped region 332, disposed in the substrate adjacent to the doped layer and the source region;

wherein the drain region, the substrate and the source region together form a first parasitic BJT 510 (col. 4, lines 35-38) and the drain region, the substrate and the doped layer together form a second parasitic BJT (because the drain and doped layer are N-type and the substrate, which is P-type, is separating the drain and doped layer, a parasitic BJT is necessarily formed), so that a current flowing into the drain region is channeled to a common voltage terminal (ground) via the first and second parasitic BJTs.

Art Unit: 2815

Regarding claims 2 and 7, Steinhoff et al. teach that the substrate 342, gate 354, source 350 and extended doped region 340 are coupled to ground. Regarding claims 3 and 8, Steinhoff et al. teach that the first conductivity is N-type and the second conductivity is P-type (as shown in figure 3B). Regarding claims 5 and 10, Steinhoff et al. teach that the gate structure is a MOS device which necessarily has a conductive top layer and a dielectric bottom layer. Regarding claims 6 and 11, Steinhoff et al. teach that the device comprises a plurality of parallel-connected transistors (gates 354 denote two transistors), which are connected in a common-drain configuration (col. 3, lines 57-59).


Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The additional art teaches various ESD structures having buried layers and sinkers formed underneath MOS transistors.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George C. Eckert II whose telephone number is (571) 272-1728.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Thomas can be reached on (571) 272-1664. The fax number is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


GEORGE ECKERT
PRIMARY EXAMINER